

COMO

GRANULAR LAPPATO

750x1500x10.5mm
30"x59"



GIANIA

FOSHAN GIANIA CERAMICS CO.,LTD

Add: No.5, Building 2, Area A, International Ceramics & Sanitary Ware City, 78 Ji Hua West Road,
Chancheng District, Foshan, Guangdong, China.

Fax: +86-757-82520531 E-mail: info@giania.net

www.giania.net


Tel: +86-757-82520572

GRANULAR LAPPATO
DETAILS



FEATURES





COMO

BM715TB11GR BIANCO
 SIZE: 750X1500x10.5MM/30"X59"
 Surface: Granular Lappato

Using the Milky Way dry grain brush polishing process,
 Realistic reduction of marble lines,
 Rich 3D pattern, in space decoration effect is better!








COMO

BM715TB12GR BEIGE

SIZE: 750X1500x10.5MM/30"X59"

Surface: Granular Lappato






Floor
BM715TB12GR
750X1500x10.5MM/30"X59"

COMO

Simple sense is exquisite,
Subtle place shows infinite change,
Administrative levels are rich



Natural marble texture

Fine texture



COMO

BM715TB13GR GRIGIO

SIZE: 750X1500x10.5MM/30"X59"

Surface: Granular Lappato





TECHNICAL PARAMETERS

		EU NORM	PRC NORM	PRODUCT PERFORMANCE
	LENGTH	± 0.6	± 0.5%	± 0.5%
	WIDTH	± 0.6	± 0.5%	± 0.5%
	THICKNESS	± 0.5	± 5%	± 5%
	SURFACE FLATNESS	± 0.5	± 0.4%	± 0.4%
	STRAIGHTNESS OF SIDES	± 0.5	± 0.3%	± 0.3%
	RECTANGULARITY	± 0.6	± 0.5%	± 0.5%
	WATER ABSORPTION	E≤0.5% individual Maximum 0.6%	Individual 0.6%	Average≤0.5%
	BREAKING STRENGTH	≥ 1300N	≥ 1300N	≥ 2600N
	MODULUS OF RUPTURE	≥ 35N/mm2	≥ 35Mpa	≥ 35Mpa
	STAIN RESISTANCE	EN187: Class A Minimum Grade B	≥Grade A	Pass
	ABRASION RESISTANCE	≤ 175mm3	Report the Attrition Grade Turnover Number	Pass
	FROST RESISTANCE	(-5°C-5°C) No Crack at Freeze-Thaw Cycles for 100 Times(-5°C-5°C)	No Cracks Or Exfoliation After testing	Pass

PACKING DETAILS

SERIES	SIZE	PCS/CTN	SQM/CTN	KG/CTN	CTNS/PALLET	SQM/PALLET	KG/PALLET
COMO	750X1500mm 30"X59"	2	2.25	56	40	90	2240

Floor
BM715TB13GR
750X1500x10.5MM/30"X59"